



Morton Salt 100 North Riverside Plaza Chicago, IL 60606-1597

			Emergene	y Phone Number	<u>312/807-2000</u>	
Product Identification	n					
Chemical Name: Sodiu	m Chloride					
Common Name: Salt				erlean Same A	2-1-04-1	
CAS Number: 7647-14-5		Product Name: System Saver Bring Block Chemical Formula: NaCl				
Product Use: Water	Softening	L	hemical Formula: .	Muci		
	7					
Hazardous Ingredient	ts					
Chemical Name	Common Name	CAS Number	· %	OSHA PEL	ACGIH	
None				FEL	TLV-TWA	
Physical Data						
Boiling Point (760mm Hg)	1413°C (2575°F)	Sper	ific Gravity (Water	r=1) 2.165		
Vapor Pressure (mm Hg) .	1mm @ 865°C (1589°F)		on-Volatile	<u> </u>		
Vapor Density (Air = 1)	N/A_		poration Rate (Ethe		,	
Solubility in Water	36g/100cc water at 20°C	a ./a ==.				
Appearance	White Block	Odo				
Fire and Explosion Ha	zard Data					
Flash Point N/A 7	F	Flammable Li	mits Lei N/A	Uel	NIA	
Method Used:						
	Product is	non-combustible	•		• •	
Extinguishing Media:	None requ	ired				
pecial Fire Fighting Proces	iures: None					
nusual Fire and Explosion	Hazardş:					
	None					
Iazardous Decomposition P	roducts:					

None

## Health Hazard Data

Oral Toxicity:

Oral rat LD50: 3000 mg/kg (RTECS. 1986)

Dermal Toxicity:

Skin irritation rabbit: 500mg(24hr. Mild (RTECS. 1986)

Eye:

Eye irritation rabbit: 100mg/24hr. Moderate (RTECS. 1986)

Inhaiatìon:

No information found.

Chronic Toxicity:

No information found

Mutagenesis:

Mutation references cited (RTECS, 1986)

Effects of Overexposure:

Ingestion:

Very large doses can cause vomiting, diarrhea. and prostration.

Skin Contact:

Not expected to be a health hazard.

Eye Contact:

May cause irritation.

Inhalation:

Inhalation of dust may cause mild irritation to mucous membranes, nose and throat.

Symptoms may include coughing, dryness and sore throat.

Acute Systemic Effects:

Dehydration and congestion may occur in internal organs. Hypertonic salt solutions can produce

inflammatory reactions in the gastrointestinal tract.

Chronic Systemic Effects:

No information found.

Emergency and First Aid Procedures

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

Skin Contact:

Wash exposed area with soap and water. Get medical advice if irritation develops.

Inhalation:

Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion:

If large amounts were swallowed, get medical advice.

Reactivity Data					
Stability	⊠ Stable	☐ Unstable	Conditions to Avoid:		
Incompatibility: (Mater	ials to Avoid)				
	Stable and inert under normal conditions.  Will react with strong acids (to generate HCl) and strong oxidizing agents (to generate $Cl_2$ ).				
Can Hazardous Polymer	rization Occur: No				
Hazardous Decompositi	on Products and	d Conditions:			
	None -				
Spill or Leak Proced	lures				
Response to Small Spills	Sweep up and a to avoid dust d	-	clamation or disposal. Vacuuming or wet sweeping may be used		
Response to Large Spills		ep up; containeri;	te for reclamation or disposal.		
Hazards to be Avoided:	None known.				
Reportable Quantity:	Check your sta	ne for requirement	3.		
Waste Classification:	Some states ha	ve set maximum li	mits on Chlorides in waste effluent.		
Disposal Methods:	Whatever cannot be saved for reclamation may be delivered to an approved waste disposal facility, or if local ordinances allow, can be dissolved in sufficient amounts of water to meet water quality standards, and flushed down a sewer drain. Ensure compliance with local, state and federal regulations.				
Special Protection It	1formation				
Respiratory Protection:			sure to the dust is apparent. a NIOSH approved dustimist respirator self-contained breathing apparatus may be necessary.		
For Hands, Body:	If deemed nece	ssary, wear protec	tive gloves and clean body-covering clothing.		
For Eyes:	Use chemical safety goggles. Contact lenses should not be worn when working with this material.  Maintain eye wash fountain and quick-drench facilities in work area.				
Ventilation:			a satisfactory health hazard control for this substance. However, fort to the worker, a local exhaust system should be considered.		

Other	Preca	utions:

Transport in dry equipment: store in dry location.

# Labeling Information

DOT Shipping Name:

Salt (common). sodium chloride

DOT Label:

Not applicable

UN No.:

Not applicable

### Other Contents of Product Label:

Not applicable

Warning:

None

#### **Users Responsibility**

The responsibility to provide a safe workplace remains with the user.

The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

#### Disclaimer of Liability

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations. Nothing contained herein is to be construed as a recommendation for use in violation of any patents or of applicable laws or regualtions.

